


RECEIVED
PORT
JUN 20 2008
INDUSTRIAL DEPARTMENT

2.821

[illegible][illegible]

SIGNATURE OF PRINCIPAL OR AUTHORIZED AGENT 	TYPE NAME AND TITLE MICHAEL F. BLANCHFIELD, ^{Pres} VP	TELEPHONE NUMBER 773-279-2950
		DATE 6/19/2008

PVSC FORM MR-2 REV 3 6/93

USER CHARGE SELF MONITORING REPORT

RECEIVED	
JUN 20 2008	
NJ 07503	
INDUSTRIAL DEPARTMENT	

NAME: COMO TEXTILE PRINTS INC.ADDRESS: 191 EAST RAILWAY AVE.

PATERSON

NJ 07503

FACILITY LOCATION: 191 EAST RAILWAY AVENUE

PATERSON

NJ 07503

NEW CUSTOMER ID / OUTLET ID: 27220022 - 2

OLD OUTLET DESIGNATION: 27400342

MONITORING PERIOD

START			END		
5	1	08	5	31	08
MO	DAY	YR	MO	DAY	YR


VOL DISCHARGED THIS PERIOD

191,862	GALS
CU. FT X 7.48 = GALLONS	
—	
EFFLUENT METER READING LAST DAY THIS PERIOD	

DATE	BOD	TSS
5/6	82.0 ✓	43.8 ✓

DATE	BOD	TSS

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL OR AUTHORIZED AGENT	TYPE NAME AND TITLE	TELEPHONE NUMBER
	Michael Blonckfield President	973-279-2950
		DATE 6/19/2008

PVSC FORM MR-2 REV.3 6/93

Technion, Inc.
Testing and Research Laboratories

Client : Como Textiles

Date Received : 05/06/08

Test Results

Sample ID: Outlet #1

Matrix: Wastewater

Lab ID: 7965-1

Date Analyzed	Parameter	Results	MDL	EPA Method
05/07-12/08	BOD	128.0	2.0	405.1
05/06/08	TSS	101.4	0.1	160.2
05/07/08	pH	6.7	N.A.	150.1

pH not performed with in Holding time.

FOR CUSTOMER USE ONLY

Test results are in mg/l (ppm), unless specified

NA : Not Applicable

ND : Not Detected

NJDEP No. 07004

Page

2 of 5

**Technion Inc.,
Testing and Research Laboratories**

Client : Como Textiles

Date Received : 05/06/08

Test Results

Sample ID: Outlet #2

Matrix: Wastewater

Lab ID: 7965-3

Date Analyzed	Parameter	Results	MDL	EPA Method
05/07-12/08	BOD	82.0	2.0	405.1
05/06/08	TSS	43.8	0.1	160.2
05/07/08	pH	7.3	N.A.	150.1

pH not performed with in Holding time.

FOR CUSTOMER USE ONLY

Test results are in mg/l (ppm), unless specified

NA : Not Applicable

ND : Not Detected

NJDEP No. 07004

Page

4 of 5

**Technion Inc.,
Testing and Research Laboratories
263 Hillside Avenue
Nutley, NJ 07110**

RECEIVED MAY 29 2008

Tel : 973-661-0800

Fax : 973-661-1817

Analytical Report

Client : Como Textiles
Client Ref :
Material : One Wastewater

Date : 05/22/08
Technion Ref : 7983
Date Received : 05/13/08
Lab ID : 08: 7983

Project :

Analysis Req : BOD, TSS, pH


Analyst : Y. Yildiz, S. Zalewski

The above sample(s) were received on 05/13/08 and analyzed as requested.

Certificate of Analysis

Test Results : Test results are as attached.

Release of the data contained in this hard copy data package has been authorized by the laboratory manager as verified by the following signature.


Omar Baturay
Laboratory Manager

OB/td

NJDEP No. 07004

1 of 2

Technion, Inc.
Testing and Research Laboratories

Client : Como Textiles

Date Received : 05/13/08

Test Results

Sample ID: Outlet #1

Matrix: Wastewater

Lab ID: 7983

Date Analyzed	Parameter	Results	MDL	EPA Method
05/14-19/08	BOD	149.0	2.0	405.1
05/13/08	TSS	190.9	0.1	160.2
05/14/08	pH	6.6	N.A.	150.1

pH not performed with in Holding time.

FOR CUSTOMER USE ONLY

Test results are in mg/l (ppm), unless specified

NA : Not Applicable

ND : Not Detected

NJDEP No. 07004

2 of 2

TESTING AND RESEARCH LABORATORY

263 HILLSIDE AVENUE

NUTLEY, NEW JERSEY 07110

Tel: (973) 661-0800 • Fax: (973) 661 -1817

CHAIN OF CUSTODY

LAB I.D. #

Industrial Department

Company Name / Address:	CHECK REPORT TYPE REQUIRED
Tel 1-973-275-2908 Ext 31	<input checked="" type="checkbox"/> EPA TIER I (CLP)
	<input type="checkbox"/> EPA TIER II (CLP)
	<input type="checkbox"/> RESULTS ONLY III
	<input type="checkbox"/> NJ ECRA II
	<input type="checkbox"/> NJ TIER 1B
	<input type="checkbox"/> NY DOH
	<input type="checkbox"/> OTHER
	DATE DUE
Proj. Mgr. <u>Como Texolite</u>	
Proj. Description <u></u>	
Sampler (Signature): <u></u>	

[illegible][illegible]

COMO TEXTILE PRINTS, INC.
 191 East Railway Avenue
 Paterson, New Jersey 07503
 tel: (973) 279-2950 fax: (973) 881-8450

Date: June 19, 2008

Passaic Valley Sewerage Commissioners
 Industrial Waste Control Department

RE: Computations for monitoring report

Enclosed are the computations for the enclosed monitoring report:

Service #341

Meter #70025607	(CCF) * 748 =	2,887,280	gal.
Meter #60094686	(CCF) * 748 =	82,280	gal.

		2,969,560	gal.

5% allowance for evaporation * .95

Consumption #341

 2,821,082 gal.

Service #342

Meter #60094678	(CCF) * 748 =	201,960	gal.
-----------------	---------------	---------	------

5% allowance for evaporation * .95

Consumption #342


 191,862 gal.

Service #343

Meter #45141583	(CCF) * 748 =	2,154	gal.
-----------------	---------------	-------	------

Sanitary only #343

 2,154 gal.


 Michael Blanchfield
 Plant Manager

pvsc36

**Technion Inc.,
Testing and Research Laboratories
263 Hillside Avenue
Nutley, NJ 07110**

Tel : 973-661-0800

RECEIVED MAY 23 2008

Fax : 973-661-1817

Analytical Report

Client : Como Textiles
Client Ref :
Material : Four Wastewater Samples

Date : 05/19/08
Technion Ref : 7965
Date Received : 05/06/08
Lab ID : 08: 7965

Project :

Analysis Req : BOD, TSS, pH / Metals (Cu, Pb, Ni, Zn)

Analyst : Y. Yildiz, S. Zalewski

The above sample(s) were received on 05/06/08 and analyzed as requested.

Certificate of Analysis

Test Results : Test results are as attached.

Metals Subcontracted to QC Laboratories

Release of the data contained in this hard copy data package has been authorized by the laboratory manager as verified by the following signature.


Omar Baturay
Laboratory Manager

OB/td

NJDEP No. 07004

Page

1 of 5



Passaic Valley Water Commission
P.O. Box 11393
Newark, New Jersey 07101-4393
973-340-4300
877-772-7077

RECEIVED JUN 9 - 2008

Bill Date	Jun 04, 2008
Account Number	122621-98572
Date of Last Payment	May 27, 2008
Amount of Last Payment	\$ 8,295.02
Previous Balance	\$ 0.00
Current Charges	\$ 4,856.52
Total Amount Due	\$ 4,856.52
Due Date	Jul 04, 2008

SERVICE ADDRESS **191 E RAILWAY AVE, PATERSON**

BILL TYPE **MONTHLY BILL**

Service Period

Apr 09, 2008--May 14, 2008


Services

Description	Charge
SERVICE CHARGE	337.60
FIRST 333 CCF	462.87
NEXT 9,999,999 CCF	4056.05

Meters

Meter No	Meter Size	Current	Previous	Consumption
70025607	4 INCH	5552	5166	3860

Usage History (most recent first)



DETACH HERE AND RETURN LOWER PORTION WITH YOUR CHECK OR MONEY ORDER



Passaic Valley Water Commission
P.O. Box 11393
Newark, New Jersey 07101-4393
973-340-4300

RECEIVED JUN 9 - 2008

☐ To change mailing address check here and fill out back of form. Please include account number on check or money order. Make check or money order payable to PVWC.

Account Number	122621-98572
Due Date	Jul 04, 2008
Total Amount Due	\$ 4,856.52
Amount Enclosed	

Mailing Address:

Service Address:

191 E RAILWAY AVE, PATERSON

*A-FIX-AM-00061
COMO TEXTILE PRINT
191 E RAILWAY AVE
PATERSON NJ 07503-2100



PASSAIC VALLEY WATER COMMISSION
PO BOX 11393
NEWARK NJ 07101-4393





Passaic Valley Water Commission
P.O. Box 11393
Newark, New Jersey 07101-4393
973-340-4300
877-772-7077

RECEIVED JUN 2 - 2008

Bill Date	May 28, 2008 <i>6/2/08</i>
Account Number	122623-98574
Date of Last Payment	May 27, 2008
Amount of Last Payment	\$ 933.72
Previous Balance	\$ 0.00
Current Charges	\$ 481.60
Total Amount Due	\$ 481.60
Due Date	Jun 27, 2008

SERVICE ADDRESS **191 E RAILWAY AVE UT001, PATERSON**

BILL TYPE **MONTHLY BILL**

Service Period

Apr 09, 2008--May 14, 2008


Services

Description	Charge
SERVICE CHARGE	106.30
FIRST 333 CCF	375.30

Meters

Meter No	Meter Size	Current	Previous	Consumption
60094678	2 INCH	4743	4716	270

Usage History (most recent first)



#6220/water per 30

DETACH HERE AND RETURN LOWER PORTION WITH YOUR CHECK OR MONEY ORDER



Passaic Valley Water Commission
P.O. Box 11393
Newark, New Jersey 07101-4393
973-340-4300

☐ To change mailing address check here and fill out back of form. Please include account number on check or money order. Make check or money order payable to PVWC.

Account Number	122623-98574
Due Date	Jun 27, 2008
Total Amount Due	\$ 481.60
Amount Enclosed	

Mailing Address:

Service Address:

191 E RAILWAY AVE UT001, PATERSON

*A-998-AM-00886



COMO TEXTILE PRINT
191 E RAILWAY AVE
PATERSON NJ 07503-2100



8

PASSAIC VALLEY WATER COMMISSION
PO BOX 11393
NEWARK NJ 07101-4393





Passaic Valley Water Commission
P.O. Box 11393
Newark, New Jersey 07101-4393
973-340-4300
877-772-7077

RECEIVED JUN 2 - 2008

Bill Date	May 28, 2008 6/2/08
Account Number	122625-98578
Date of Last Payment	May 27, 2008
Amount of Last Payment	\$ 260.92
Previous Balance	\$ 0.00
Current Charges	\$ 288.72
Total Amount Due	\$ 288.72
Due Date	Jun 27, 2008

SERVICE ADDRESS **193 E RAILWAY AVE, PATERSON**

BILL TYPE **MONTHLY BILL**

Service Period

Apr 09, 2008--May 14, 2008


Services

Description	Charge
SERVICE CHARGE	106.30
SERVICE CHARGE	25.35
FIRST 333 CCF	157.07

Meters

Meter No	Meter Size	Current	Previous	Consumption
60094686	2 INCH	1237	1226	110
45141583	5/8 INCH	488	485	3

Usage History (most recent first)



*#6 200/ water
p. 20*

DETACH HERE AND RETURN LOWER PORTION WITH YOUR CHECK OR MONEY ORDER



Passaic Valley Water Commission
P.O. Box 11393
Newark, New Jersey 07101-4393
973-340-4300

☐ To change mailing address check here and fill out back of form. Please include account number on check or money order. Make check or money order payable to PVWC.

Account Number	122625-98578
Due Date	Jun 27, 2008
Total Amount Due	\$ 288.72
Amount Enclosed	

Mailing Address:

RECEIVED JUN 2 - 2008

Service Address:

193 E RAILWAY AVE, PATERSON

*B-998-AM-03484



*****SGLP

COMO TEXTILES
193 E RAILWAY AVE
PATERSON NJ 07503



26

PASSAIC VALLEY WATER COMMISSION
PO BOX 11393
NEWARK NJ 07101-4393



